

# MARINE SIGNAL BUOYS

Single module signal buoys to I.A.L.A. standard.

Buoyancy module of Polyethylene skin and a sink-proof

Filling of lightweight expanded polystyrene foam.

Steel structure sandblasted & hot dipped galvanized.


Equipped to client's specifications with a wide choice of marine lanterns including low-energy LED and Xenon bulbs, back-up battery and solar panels.




TYPE 440



TYPE 650



TYPE 975



SIGNAL BUOYS TYPE	440	650	975
FLOAT DIAMETER (mm)	750	1000	1000
FLOAT HEIGHT (mm)	1210	980	1350
FLOAT WEIGHT (kg)	46	110	135
TOTAL BUOY LENGTH (mm)	3300	4100	4450
TOTAL BUOY WEIGHT (kg)	110	200	225



**REFA MED Srl**  
 POBox 158, S. Antioco  
 Sardinia, 09017 Italy  
 VAT 01875010900

Mob. Tel.: +39 348 4112968  
 Fax & tel.: +39 0781 800880  
 Web site: [www.refamed.com](http://www.refamed.com)  
 E-mail: [office@refamed.com](mailto:office@refamed.com)

# Signal Buoy 1000 lts.





# Signal Buoy 650 lts.

